


SHOXS

2000 SEAT INFOSET


ALLSALT MARITIME OWNER OF SHOXS AND KINETIX / ALLSALT.COM / SHOXS.COM / 1 (888) 637.4697

2000 SEAT OVERVIEW


Human Engineering Reference MIL-STD-1472G
Suspension Travel 125 mm / 5 inch
Material CNC Aluminum 316 SS / Titanium
Base Weight 37.6 kg / 83 lb




127 mm
[5.0 in]





76 mm
[3.0 in]





128 mm
[5.25 in]







2000 SEAT CENTER OF MASS

Human Engineering Reference MIL-STD-1472G
Suspension Travel 125 mm / 5 inch
Material CNC Aluminum 316 SS / Titanium
Base Weight 37.6 kg / 83 lb

MASS OF SEAT	37.6 kg (83.0 lb)
MASS OF 95TH PERCENTILE MALE	97.2 kg (213.8 lb)
TOTAL MASS	134.8 kg (296.8 lb)



CENTER OF MASS




ALLSALT MARITIME OWNER OF SHOXS AND KINETIX / ALLSALT.COM / SHOXS.COM / 1 (888) 637.4697

04.2020


2000 SEAT SIGHTLINES

Human Engineering Reference MIL-STD-1472G
Suspension Travel 125 mm / 5 inch
Material CNC Aluminum 316 SS / Titanium
Base Weight 37.6 kg / 83 lb



2000 SEAT CONSOLE ERGONOMICS

Human Engineering Reference MIL-STD-1472G
Suspension Travel 125 mm / 5 inch
Material CNC Aluminum 316 SS / Titanium
Base Weight 37.6 kg / 83 lb



2000 SEAT SPACING

Human Engineering Reference MIL-STD-1472G
Suspension Travel 125 mm / 5 inch
Material CNC Aluminum 316 SS / Titanium
Base Weight 37.6 kg / 83 lb

